



**NORTENT**  
NORWAY

**VERN 2**



□□ **THE EXCEPTIONALLY GOOD  
FEELING OF BEING FREE  
TOGETHER WITH NATURE. THIS  
IS WHAT NORTENT IS ALL  
ABOUT.** □□



## **VERN 2**

Vern 2 has a strong construction that can withstand severe weather conditions and snow-load. A very light shelter to carry in the bag. Our inspiration for this tent comes from our long walks in Norwegian mountains where weight always is essential and at the same time a gear providing a safe and secure shelter.



Vern 2 is designed to be a very light tent, but still a very functional and safe tent with plenty of room for two people together with all their gear. You can even bring your dog. We believe having a pleasant environment inside the tent enhances the complete outdoor experience.

# SEAM SEALING

The flysheet is 100% waterproof. But like every other quality tent with this type of fabric the seams have to be lubricated with a mix of silicone to become fully waterproof.

Tents made of silnylon are not seam sealed with lubricant at the factory. Sealing the seams is a one-time procedure performed by the end user. With the seam sealing completed you have a fully waterproof tent. The quality and durability of lubricant sealing is far better than taped seams which the PU coated tents and silicone/PU coated tents are equipped with. (You will find an instruction video on our website).





# THE FIGHT AGAINST CONDENSATION

**WHEN THE HUMID AIR HITS THE COOLER  
TENT WALLS IT IS TRANSFORMED INTO  
LIQUID WATER DRIPPING DOWN FROM THE  
WALLS AND CEILING**

**Here are three solutions:**

- 1. Heating .** Hot air absorbs more moisture..
- 2. Inner tent.** The humid air passes through the inner tent and leaves this area dry .
- 3. Ventilation.** Humid air is transported out of the tent.

# TAKING CARE OF YOUR TENT

A black tent is pitched in a grassy field. The tent is the central focus, with its curved top and dark fabric clearly visible. The background shows rolling green hills under a clear blue sky. The overall scene is bright and sunny, suggesting a clear day.

It is essential to release the tension of the flysheet during the day equally to what it was tightened to the evening before. If you do not do this the flysheet will tighten further with powerful tension. At worst it may have stretched the fabric to a degree beyond breaking point. Rule of thumb; never let the flysheet become tight like a drumhead.

## ADJUSTING AND ADAPTING THE TENSION

# PITCHING YOUR VERN 2

A dark blue tent is pitched on a grassy bank next to a blue lake. The tent is the central focus, with its entrance open. The background shows a calm lake and a grassy hillside under a clear sky. The text 'PITCHING YOUR VERN 2' is overlaid in large, white, outlined letters on the left side of the image.

Our tent poles are of high quality and are very flexible and strong. They are tested in the real world under high stress for optimal and correct understanding of its durability. But nevertheless they are lightweight aluminum and could break if not handled correctly. For best use, strength and durability of your pole, ensure that each section is properly inserted into place, and ensure that pole sections do not pull apart during pitching, as the resulting gaps can lead to breakage.

Silnylon is "alive". Well not completely, but silnylon is a very dynamic fabric. It stretches, moves, contracts and retains depending on temperature and humidity. For flexibility it is one of the best fabrics to choose for the flysheet. With an elastic material the external forces will be more evenly distributed, with less degree of the wind tugging and pulling on the flysheet. Because the fabric is dynamic it means you have to adjust the tension on the flysheet according to the temperature and humidity.

Identify the only opening on the sleeve, and insert the pole.



Secure and insert the pole into the slot and tighten it. All the way.



Insert the second pole into the second sleeve. Same procedure as the first pole.



Place one stake in each stakeout at the two corners of the short side of the tent. Stretch the two corners out.



Align the two corners in a direct line with the short end-pole. In such a way that they form a perfect triangle with the top.



Use a third stake to stake out the guyline at the end of the tent.



Stretch the tent.



Repeat the exact same procedure on the opposite side of the tent.



Adjust, adapt and tighten the guyline at the end of the tent.



Keep in mind that the triangle should lean forward with an angle.



Apply the stakeouts at the end of the poles. 4 pcs.



Adjust the flexible wire inside the vents for optimal airflow.



Use the side guylines to stabilize the tent in case of challenging weather.



To be able to better adapt to heavy snowload and severe weather, it is possible to mount an optional crossing pole to the tent.



The crossing pole has in total nine attachments to the tent itself. Designed for fast and easy handling.



However. The crossing pole is not necessary in most conditions.



Vern 2 is designed with a flexible and dynamic use in mind. To better be able to adapt your needs, and your surroundings.



The triangle in both ends of the tent helps to keep an optimal airflow. They play an important role in the fight against condensation.







It is possible to easily seal them off if the wind picks up.



Swiftly tug it away into the integrated pocket.



There are both mosquito netting and solid fabric in the entrance of the inner tent.



The top vents is an integrated part of the entrance.



The awning is more than spacious for both your gear and cooking



You may expand your awning with our Hellenen tarp. It becomes a natural expansion of your tent.

## Important note about pole usage.

Our tent poles are of high quality and are very flexible and strong. They are tested in the real world under high stress for optimal and correct understanding of its durability. But nevertheless they are lightweight aluminum and could break if not handled correctly. For best use, strength and durability of your pole, ensure that each section is properly inserted into place, and ensure that pole sections do not pull apart during pitching, as the resulting gaps can lead to breakage.



This could lead to breakage when pole is bent or subject to stress



**NORTENT AS**

Norway

[info@nortent.com](mailto:info@nortent.com)

[www.nortent.com](http://www.nortent.com)

 Instagram

 facebook